



MALIN

SINCE 1884

The Professional Fisherman's Choice

Malin has been in the fishing tackle industry since 1884. During those 128 years, we've earned the reputation for manufacturing the highest quality, American made products available. Professional Captains, Tournament Winners and Weekend Warriors around the world rely on Malin products daily - they've done so for decades. We are very proud to have earned and kept the confidence these anglers have shown in Malin products.

Malin is also an innovator, having introduced many original products over the years. Products like our Pre-Cut Straight Leader, BOA No-Kink Titanium Leader, Pre-Marked Soft SS and Soft Monel trolling wire, Pre-Marked Stainless Steel 1 X 7 trolling cable, the Bait De-Hooker, QDX Outrigger Release Clip, and our Outrigger Rigging Kits, just to name a few. **Check out Malin's latest innovation - our new BLAZ'R Line Guide on page 1.**



Malin Company, Inc.
5400 Smith Road
Brookpark, Ohio 44142
Phone: 800-967-9697
Fax: 216-267-9077
Email: sales@malinco.com

Malin

www.malinco.com

Cover Photo By: Sam Root, Saltyshores.com

Design By: Joe Marshall, JoDe Corp., email: jmar757@gmail.com, phone: 321-427-0396

Table of Contents

(NEW) BLAZ'R Line Guide	page 1
Hard-Wire, Single Strand SS Leader	page 2
PDS Straight SS Leader	page 3
Nylon Coated Hard-Wire SS Leader	page 4
BOA NO-KINK Titanium Leader	page 4
Pre-Marked Soft Monel Trolling Wire	page 5
Pre-Marked Soft Stainless Trolling Wire	page 5
Soft Monel Trolling Wire	page 6
Soft Stainless Trolling Wire	page 6
Pre-Marked 1 X 7 SS Trolling Cable	page 7
Malin 7, 1 X 7 SS Cable	page 7
Malon 7, Nylon Coated 1 X 7 SS Cable	page 8
Compression Sleeves, Single & Double	page 9
Malin 49, 7 X 7 SS Cable	page 10
Premium Pro Rig Hook Sets	page 11
Rigging Wire, Copper, Monel & SS	page 11
Bait De-hooker	page 12
Outrigger Rigging Kits, Basic & Complete	page 12
Outrigger Rigging Kits, Top Angler, Tournament Pro	page 13
Outrigger Rigging Kit, Big Boat	page 13
T-Top Rod Safety Straps	page 13
QDX Outrigger release Clip	page 14
Shock Cords & Pulleys	page 14
Shock Cords & Snaps	page 14
Halyard Locking Pulley	page 15
Outrigger Pulleys, Single & Double	page 15
Tournament Grade Pulley Kit	page 15
Outrigger Halyard Material	page 15
Stainless Steel Eye Straps & Screws	page 15

BLAZ'R Line Guide™

SUPER HIGH PERFORMANCE

- * Increases Casting Distance
- * Reduces Wind Knots
- * Braid, Mono or Fluro
- * 316 Stainless Steel
- * Easy Installation
- * Proudly Made in the USA

Item No.	Fits
BLG-205	# 20
BLG-225	# 25
BLG-305	# 30
BLG-405	# 40
BLG-455	# 45

The new BLAZ'R Line Guide increases casting distance and reduces wind knots. It snaps onto the stripper / butt guide in seconds. The patent pending technology focuses the fishing line towards the target and speeds it to the desired destination. The BLG smoothly transforms the circular motion coming off the reel into linear motion resulting in farther casts.

As the fishing line is retrieved, the 316 stainless steel spring wobbles, this wobble places a slight tension on the line as it is put back onto the reel. This reduces slack line and wind knots. In addition, the spring flexes during a fight allowing the fishing line to rest on the existing guide ring and doesn't cause any additional wear on the fishing line. Improve your rods' performance




... snap on a BLAZ'R Line Guide.



Scan here to see video, installation/instructions.



Single Strand Stainless Steel Leader



Hard-Wire is single strand, stainless steel leader, packaged in resealable bags for easy use and storage. Available in coils of 42 feet (**40% more than competitors**), 1/4 lb, and 1 lb. Sizes range from #1 to #19 with breaking strains of 25 lb test through 400 lb test.

When you need supreme protection from sharp teeth and abrasion resistance, Hard Wire is the best choice. This wire is torsion straightened and treated so it is less visible in the water. Hard-Wire is also offered in both a coffee color and brite finish.

For decades Malin Hard-Wire has earned the trust of professional and tournament winning anglers.

No.	Dia	ft/lb
1	.010	3,723
2	.011	3,098
3	.012	2,604
4	.013	2,218
5	.014	1,913
6	.016	1,465
7	.018	1,157
8	.020	973
9	.022	775
10	.024	651
11	.026	551
12	.029	446
13	.031	387
14	.033	342
15	.035	283
16	.037	272
17	.039	245
18	.041	221
19	.043	202

No.	Dia.	lb Test	Coffee 42' Coil	Brite 42' Coil	Coffee 1/4lb Coil	Brite 1/4lb Coil	Coffee 1lb Coil	Brite 1lb Coil
1	.010	25	LC1-42	L1-42	LC1-14	L1-14	LC1-1	L1-1
2	.011	29	LC2-42	L2-42	LC2-14	L2-14	LC2-1	L2-1
3	.012	31	LC3-42	L3-42	LC3-14	L3-14	LC3-1	L3-1
4	.013	40	LC4-42	L4-42	LC4-14	L4-14	LC4-1	L4-1
5	.014	43	LC5-42	L5-42	LC5-14	L5-14	LC5-1	L5-1
6	.016	61	LC6-42	L6-42	LC6-14	L6-14	LC6-1	L6-1
7	.018	80	LC7-42	L7-42	LC7-14	L7-14	LC7-1	L7-1
8	.020	93	LC8-42	L8-42	LC8-14	L8-14	LC8-1	L8-1
9	.022	108	LC9-42	L9-42	LC9-14	L9-14	LC9-1	L9-1
10	.024	131	LC10-42	L10-42	LC10-14	L10-14	LC10-1	L10-1
11	.026	140	LC11-42	L11-42	LC11-14	L11-14	LC11-1	L11-1
12	.029	180	LC12-42	L12-42	LC12-14	L12-14	LC12-1	L12-1
13	.031	188	LC13-42	L13-42	LC13-14	L13-14	LC13-1	L13-1
14	.033	220	LC14-42	L14-42	LC14-14	L14-14	LC14-1	L14-1
15	.035	278	LC15-42	L15-42	LC15-15	L15-14	LC15-1	L15-1
16	.036	285	LC16-42	L16-42	LC16-14	L16-14	LC16-1	L16-1
17	.039	300	LC17-42	L17-42	LC17-14	L17-12	LC17-1	L17-1
18	.041	350	LC18-42	L18-42	LC18-14	L18-14	LC18-1	L18-1
19	.043	400	LC19-42	L19-42	LC19-14	L19-14	LC19-1	L19-1

Malin

www.malinco.com

PDS Straight Stainless Steel Leader

Perfectly Dead Straight

PDS Straight Leader is the absolute highest quality, straightest leader wire available for today's serious tournament anglers. Straight Leader is designed with the properties that make it perfect for live bait rigging and for use in conjunction with wind-on leaders. This wire is straightened using a special process that actually softens the wire very slightly, making it the most kink resistant SS leader wire available today.

PDS Straight Leader is available in sizes #2 to #8, in 29lb through 93lb test. It is packaged in rigid clear plastic tubes for easy use and storage. We pre-cut the Straight Leader in lengths of 12, 24, and 36 inches, each tube contains 300 feet of leader wire, and is available in coffee color or brite finishes.

Custom sizes and lengths are available upon request.



No.	Dia.	lb. Test	COFFEE 12", 300 pcs	BRITE 12", 300 pcs
2	.011	29 lb.	PDS2-12	BDS2-12
3	.012	31 lb.	PDS3-12	BDS3-12
4	.013	40 lb.	PDS4-12	BDS4-12
5	.014	43 lb.	PDS5-12	BDS5-12
6	.016	61 lb.	PDS6-12	BDS6-12
7	.018	80 lb.	PDS7-12	BDS7-12
8	.020	93 lb.	PDS8-12	BDS8-12
No.	Dia.	lb. Test	24", 150 pcs	
2	.011	29 lb.	PDS2-24	BDS2-24
3	.012	31 lb.	PDS3-24	BDS3-24
4	.013	40 lb.	PDS4-24	BDS4-24
5	.014	43 lb.	PDS5-24	BDS5-24
6	.016	61 lb.	PDS6-24	BDS6-24
7	.018	80 lb.	PDS7-24	BDS7-24
8	.020	93 lb.	PDS8-24	BDS8-24
No.	Dia.	lb. Test	36", 100 pcs	
2	.011	29 lb.	PDS2-36	BDS2-36
3	.012	31 lb.	PDS3-36	BDS3-36
4	.013	40 lb.	PDS4-36	BDS4-36
5	.014	43 lb.	PDS5-36	BDS5-36
6	.016	61 lb.	PDS6-36	BDS6-36
7	.018	80 lb.	PDS7-36	BDS7-36
8	.020	93 lb.	PDS8-36	BDS8-36



Nylon Coated Hard-Wire

Single Strand Stainless Steel Leader

We added a black nylon coating to our Hard-wire at the request of the Tuna and Shark anglers. The nylon coating makes the wire easier to handle when wiring those big brutes at boatside, and the satin finish of the nylon coating makes it less likely to spook weary fish.

The Nylon Coated Hard-Wire is available in sizes #10 through #19, in breaking strengths of 131 lb test to 400 lb test. We package this wire in resealable bags for easy use and storage, in coils of 42 feet, and 1/4 lb coils.



No.	Dia.	Lb Test	42 feet	1/4 lb
10	.024	131 lb	BC10-42	BC10-14
11	.026	140 lb	BC11-42	BC11-14
12	.029	180 lb	BC12-42	BC12-14
13	.031	188 lb	BC13-42	BC13-14
14	.033	220 lb	BC14-42	BC14-14
15	.035	278 lb	BC15-42	BC15-14
16	.037	285 lb	BC16-42	BC16-14
17	.039	300 lb	BC17-42	BC17-14
18	.041	350 lb	BC18-42	BC18-14
19	.043	400 lb	BC19-42	BC19-14

FEET / LB CHART		
No.	Dia.	FT
10	.024	651
11	.026	551
12	.029	446
13	.031	387
14	.033	342
15	.035	283
16	.037	272
17	.039	245
18	.041	221
19	.043	202

BOA NO-KINK

World's First Titanium Shock Leader

BOA NO-KINK leader wire is the original titanium leader. Introduced in 1997, BOA set the standard as the superior leader material, and remains so to this day.

BOA is perfect for all types of fishing applications, whether its live or dead bait, lures or flies. It can be tied using a simple clinch knot or crimped, and is extremely durable, allowing it to be used fish after fish. BOA NO-KINK is very flexible and nearly impossible to kink. Its natural color and satin finish will rival fluorocarbon for invisibility in the water and it will stand up to toothy fish - fluorocarbon can't. BOA stretches by 10 to 15% for increased hook setting ability and protection against excessive shock. That's right, a wire leader that stretches - it is amazing.

BOA is packaged in 30 foot coils, in resealable bags for easy use and storage and is available in 20, 25, 30, 35, 40, 45, 50, and 60 lb test.

Item No.	Dia.	Lb Test
NK20-30	.011,	20 lb.
NK25-30	.012,	25 lb.
NK30-30	.013,	30 lb.
NK35-30	.014,	35 lb.
NK40-30	.015,	40 lb.
NK45-30	.016,	45 lb.
NK50-30	.017,	50 lb.
NK60-30	.018,	60 lb.



Capt. John Luchka - Longrunfishingcharters.com

MALIN

www.malinco.com

PREMARKED TROLLING WIRE

SOFT MONEL & SOFT STAINLESS, MARKED EVERY 50 FEET

We offer Pre-marked **SOFT MONEL** and Soft Stainless trolling wire that is marked every 50 feet, so depth control is easier than ever.

The Soft Monel possesses superior properties that make it the ultimate trolling wire for fresh or saltwater. These properties give the Soft Monel exceptional durability and resistance to kinking, corrosion, and abrasion.

The Soft Stainless is the economical choice, and works well in both fresh and saltwater.

Both the Pre-marked Soft Monel and Soft Stainless are available in 30, 40, and 50 lb test, and come on spools of 300 feet, 450 feet, and 5, 10, and 30 lbs., and are now available in the **NEW SMOKE** finish. The Smoke finish won't spook the fish.



Soft Monel			
Item No.	Description	Item No.	Description
PM30-300,	300ft, .020 30 lb.	PM30-450,	450ft, .020 30 lb.
PM40-300,	300ft, .024 40 lb.	PM40-450,	450ft, .024 40 lb.
PM50-300,	300ft, .026 50 lb.	PM50-450,	450ft, .026 50 lb.
NEW SMOKE FINISH			
Item No.	Description	Item No.	Description
SPM30-300,	Smoke, 300ft, .020 30 lb.	SPM30-450,	450ft, .020 30 lb.
SPM40-300,	Smoke, 300ft, .024 40 lb.	SPM40-450,	450ft, .024 40 lb.
SPM50-300,	Smoke, 300ft, .026 50 lb.	SPM50-450,	450ft, .026 50 lb.

Soft Monel		
lb test	Dia.	ft / lb
30	.020	810
40	.024	580
50	.026	490

Soft Stainless			
Item No.	Description	Item No.	Description
PS30-300,	300ft, .020 30 lb.	PS30-450,	450ft, .020 30 lb.
PS40-300,	300ft, .022 40 lb.	PS40-450,	450ft, .022 40 lb.
PS50-300,	300ft, .024 50 lb.	PS50-450,	450ft, .024 50 lb.
NEW SMOKE FINISH			
Item No.	Description	Item No.	Description
SPS30-300,	Smoke, 300ft, .020 30 lb.	SPS30-450,	450ft, .020 30 lb.
SPS40-300,	Smoke, 300ft, .022 40 lb.	SPS40-450,	450ft, .022 40 lb.
SPS50-300,	Smoke, 300ft, .024 50 lb.	SPS50-450,	450ft, .024 50 lb.

Soft Stainless		
lb test	Dia.	ft / lb
30	.020	935
40	.022	770
50	.024	645

Bulk Spools Available upon request



Capt. Terry Sullivan - Flatsrat.com

Soft Monel Trolling Wire



Dia.	lb. Test	Soft Monel				
		300 ft	450 ft	600 ft	1,000 ft	1,200 ft
.016	15 lb	M15-300	M15-450	M15-600	M15-1000	M15-1200
.018	20 lb	M20-300	M20-450	M20-600	M20-1000	M20-1200
.020	30 lb	M30-300	M30-450	M30-600	M30-1000	M30-1200
.024	40 lb	M40-300	M40-450	M40-600	M40-1000	M40-1200
.026	50 lb	M50-300	M50-450	M50-600	M50-1000	M50-1200
.029	60 lb	M60-300	M60-450	M60-600	M60-1000	M60-1200
.036	80 lb	M80-300	M80-450	M80-600	M80-1000	M80-1200
.039	100 lb	M100-300	M100-450	M100-600	M100-1000	M100-1200

Soft Monel		
lb Test	Dia.	Ft/lb
10	.012	2,310
12	.014	1,709
15	.016	1,650
20	.018	1,025
30	.020	810
40	.024	580
50	.026	490
60	.029	370
80	.036	256
100	.039	215

Malin Soft Monel trolling wire possesses superior properties that make it the ultimate wire line for fresh or saltwater trolling. These properties give the soft monel extraordinary durability, and resistance to corrosion, abrasion and kinking. It sinks faster and stays deeper than soft stainless steel due to its high density. Malin Soft Monel trolling wire is the number one choice among the experienced wire line anglers. It is available in 10 lb test to 100 lb tests, and packaged on spools of 300, 450, 600, 1,000, 1,200 feet, and 5, 10, and 30 lbs.

Reel Capacity Chart
Use this chart to determine the amount of wire needed to fill you reel, SS or Monel.

Reel Size	lbs of Wire
3/0	1.50 lbs
4/0	2.75 lbs
6/0	3.50 lbs
9/0	5.00 lbs
10/0	10.00 lbs
12/0	12.50 lbs
14/0	16.00 lbs
16/0	20.00 lbs

TRY OUR **NEW SMOKE FINISH.**
TO SPECIFY JUST ADD AN **S** TO
THE ITEM NUMBERS SHOWN.
EXAMPLE: **SM15-300** OR
SS10-300, ALL SIZES.

Bulk Spools Available Upon Request

Soft Stainless wire is the economical choice for trolling, and works very well for all types of trolling, in fresh and saltwater. Malin Soft Stainless trolling wire is resistant to abrasion and corrosion, and it is an excellent choice when depth control is needed. Available in 10 lb test to 125 lb tests, and packaged on spools of 300, 450, 600, 1,000, 1,200 feet.

Dia.	lb. Test	Soft Stainless				
		300 ft	450 ft	600 ft	1,000 ft	1,200 ft
.010	10 lb	S10-300	S10-450	S10-600	S10-1000	S10-1200
.012	12 lb	S12-300	S12-450	S12-600	S12-1000	S12-1200
.014	15 lb	S15-300	S15-450	S15-600	S15-1000	S15-1200
.016	20 lb	S20-300	S20-450	S20-600	S20-1000	S20-1200
.020	30 lb	S30-300	S30-450	S30-600	S30-1000	S30-1200
.022	40 lb	S40-300	S40-450	S40-600	S40-1000	S40-1200
.024	50 lb	S50-300	S50-450	S50-600	S50-1000	S50-1200
.028	60 lb	S60-300	S60-450	S60-600	S60-1000	S60-1200
.032	80 lb	S80-300	S80-450	S80-600	S80-1000	S80-1200
.036	100 lb	S100-300	S100-450	S100-600	S100-1000	S100-1200
.040	125 lb	S125-300	S125-450	S125-600	S125-1000	S125-1200

Soft Stainless		
lb Test	Dia.	Ft/lb
10	.011	3,723
12	.012	2,585
15	.014	1,913
20	.016	1,465
30	.020	935
40	.022	770
50	.024	645
60	.028	475
80	.032	360
100	.034	290
125	.040	230



Soft Stainless TROLLING WIRE

Pre-Marked Malin - 7, 1 X 7 STAINLESS STEEL TROLLING CABLE



Controlling your depth is easier than ever with our Pre-Marked Malin - 7 trolling cable. Using Plastic injection technology, we mark the cable every 50 feet. Just count the marks as you release line from your reel and you will know your depth. The Pre-Marked Malin - 7 is available in 40, 50, and 60 lb test, and in natural SS finish or Coffee colored finish. We package this trolling cable on spools of 300, 450, 600, 5,000, and 10,000 feet.

NATURAL STAINLESS FINISH

Dia.	lb Test	300 ft	450 ft	600 ft	5,000 ft	10,000 ft
.016	40	MC40-300	MC40-450	MC40-600	MC40-5000	MC40-10000
.018	50	MC50-300	MC50-450	MC50-600	MC50-5000	MC50-10000
.021	60	MC60-300	MC50-450	MC60-600	MC60-5000	MC60-10000

COFFEE COLORED FINISH

Dia.	lb Test	300 ft	450 ft	600 ft	5,000 ft	10,000 ft
.016	40	MCC40-300	MCC40-450	MCC40-600	MCC40-5000	MCC40-10000
.018	50	MCC50-300	MCC50-450	MCC50-600	MCC50-5000	MCC50-10000
.021	60	MCC60-300	MCC50-450	MCC60-600	MCC60-5000	MCC60-10000



Malin - 7, 1 X 7 STAINLESS STEEL CABLE

Malin-7 is comprised of 7 individual strands of stainless steel wire that are preformed and stranded. This cable has good flexibility, excellent strength and abrasion resistance. Malin-7 can be used to make rigs, leaders, or as trolling wire in both fresh and saltwater. It is available in breaking strengths from 15 to 250 lb test. We package the Malin-7 in a handy pocket pack, which includes 30 feet of cable and enough sleeves to get you started. We also offer spools of 150, 300, 400, 600, 1,000, 2,000, and 5,000 feet, and in the coffee color or SS finish.



P = STAINLESS FINISH, PC = COFFEE COLORED FINISH

Dia.,	lb. Test	30 ft.	150 ft.	300 ft.	600 ft.	1,000 ft.	2,000 ft.	5,000 ft.
.010,	15 lb.	P15-30	P15-150	P15-300	P15-600	P15-1000	P15-2000	P15-5000
.012,	20 lb.	P20-30	P20-150	P20-300	P20-600	P20-1000	P20-2000	P20-5000
.015,	30 lb.	P30-30	P30-150	P30-300	P30-600	P30-1000	P30-2000	P30-5000
.016,	40 lb.	P40-30	P40-150	P40-300	P40-600	P40-1000	P40-2000	P40-5000
.018,	50 lb.	P50-30	P50-150	P50-300	P50-600	P50-1000	P50-2000	P50-5000
.021,	60 lb.	P60-30	P60-150	P60-300	P60-600	P60-1000	P60-2000	P60-5000
.024,	80 lb.	P80-30	P80-150	P80-300	P80-600	P80-1000	P80-2000	P80-5000
.028,	105 lb.	P105-30	P105-150	P105-300	P105-600	P105-1000	P105-2000	P105-5000
.030,	135 lb.	P135-30	P135-150	P135-300	P135-600	P135-1000	P135-2000	P135-5000
.034,	170 lb.	P170-30	P170-150	P170-300	P170-600	P170-1000	P170-2000	P170-5000
.036,	215 lb.	P215-30	P215-150	P215-300	P215-600	P215-1000	P215-2000	P215-5000
.039,	250 lb.	P250-30	P250-150	P250-300	P250-600	P250-1000	P250-2000	P250-5000

Capt. John Luchka - Longrunfishingcharters.com

Malon - 7, 1 X 7

Nylon Coated Stainless Steel Cable

Malon - 7 is made using the same high quality 1 X 7 stainless steel cable as our Malin - 7, we just add a rugged nylon coating. The available colors are Black, Clear, or Clear over the Coffee finish. The nylon coating provides a smooth finish that is excellent for making a variety of rigs and leaders. We package Malon - 7 in our handy 30 foot pocket pack that includes enough sleeves to get you started. In addition, we offer spools of 200, 300, 600, 1,000, 2,000, and 5,000 feet.



Black Nylon Coated = NB

Dia.,	lb. Test	30 ft.	200 ft.	300 ft.	600 ft.	1,000 ft.	2,000 ft.	5,000 ft.
.022,	15 lb.	NB15-30	NB15-200	NB15-300	NB15-600	NB15-1000	NB15-2000	NB15-5000
.024,	20 lb.	NB20-30	NB20-200	NB20-300	NB20-600	NB20-1000	NB20-2000	NB20-5000
.026,	30 lb.	NB30-30	NB30-200	NB30-300	NB30-600	NB30-1000	NB30-2000	NB30-5000
.028,	40 lb.	NB40-30	NB40-200	NB40-300	NB40-600	NB40-1000	NB40-2000	NB40-5000
.030,	50 lb.	NB50-30	NB50-200	NB50-300	NB50-600	NB50-1000	NB50-2000	NB50-5000
.032,	60 lb.	NB60-30	NB60-200	NB60-300	NB60-600	NB60-1000	NB60-2000	NB60-5000
.038,	90 lb.	NB90-30	NB90-200	NB90-300	NB90-600	NB90-1000	NB90-2000	NB90-5000
.041,	135 lb.	NB135-30	NB135-200	NB135-300	NB135-600	NB135-1000	NB135-2000	NB135-5000
.046,	170 lb.	NB170-30	NB170-200	NB170-300	NB170-600	NB170-1000	NB170-2000	NB170-5000
.048,	210 lb.	NB210-30	NB210-200	NB210-300	NB210-600	NB210-1000	NB210-2000	NB210-5000
.052,	250 lb.	NB250-30	NB250-200	NB250-300	NB250-600	NB250-1000	NB250-2000	NB250-5000

Clear Nylon Coated = NC, Clear Nylon Coated Coffee = CN

Dia.,	lb. Test	30 ft.	200 ft.	300 ft.	600 ft.	1,000 ft.	2,000 ft.	5,000 ft.
.022,	15 lb.	NC15-30	NC15-200	NC15-300	NC15-600	NC15-1000	NC15-2000	NC15-5000
.024,	20 lb.	NC20-30	NC20-200	NC20-300	NC20-600	NC20-1000	NC20-2000	NC20-5000
.026,	30 lb.	NC30-30	NC30-200	NC30-300	NC30-600	NC30-1000	NC30-2000	NC30-5000
.028,	40 lb.	NC40-30	NC40-200	NC40-300	NC40-600	NC40-1000	NC40-2000	NC40-5000
.030,	50 lb.	NC50-30	NC50-200	NC50-300	NC50-600	NC50-1000	NC50-2000	NC50-5000
.032,	60 lb.	NC60-30	NC60-200	NC60-300	NC60-600	NC60-1000	NC60-2000	NC60-5000
.038,	90 lb.	NC90-30	NC90-200	NC90-300	NC90-600	NC90-1000	NC90-2000	NC90-5000
.041,	135 lb.	NC135-30	NC135-200	NC135-300	NC135-600	NC135-1000	NC135-2000	NC135-5000
.046,	170 lb.	NC170-30	NC170-200	NC170-300	NC170-600	NC170-1000	NC170-2000	NC170-5000
.048,	210 lb.	NC210-30	NC210-200	NC210-300	NC210-600	NC210-1000	NC210-2000	NC210-5000
.052,	250 lb.	NC250-30	NC250-200	NC250-300	NC250-600	NC250-1000	NC250-2000	NC250-5000



Malin Single Barrel Compression Sleeves

The Single Barrel sleeves are made in the U.S.A., and are of the highest quality. These sleeves are used for all types of rigs and work very well on the Malin-7 and Malon-7. Offered in sizes that work for 10 lb test to 250 lb test material. They are packaged in quantities of 50, 100, 500, 1,000, and 5,000 pieces, and are available in Black Oxide or Nickel finish.

Black Oxide

No.,	ID,	Range	50 Pack	100 Pack	500 Pack	1,000 Pack	5,000 Pack
2,	.033,	10-15 lb.	MS2B-50	MS2B-100	MS2B-500	MS2B-1000	MS2B-5000
3,	.047,	15-20 lb.	MS3B-50	MS3B-100	MS3B-500	MS3B-1000	MS3B-5000
4,	.055,	30-40 lb.	MS4B-50	MS4B-100	MS4B-500	MS4B-1000	MS4B-5000
5,	.071,	40-60 lb.	MS5B-50	MS5B-100	MS5B-500	MS5B-1000	MS5B-5000
6,	.080,	60-90 lb.	MS6B-50	MS6B-100	MS6B-500	MS6B-1000	MS6B-5000
7,	.106,	90-140 lb.	MS7B-50	MS7B-100	MS7B-500	MS7B-1000	MS7B-5000
8,	.116,	140-250 lb.	MS8B-50	MS8B-100	MS8B-500	MS8B-1000	MS8B-5000

Nickel Plated

No.,	ID,	Range	50 Pack	100 Pack	500 Pack	1,000 Pack	5,000 Pack
2,	.033,	10-15 lb.	MS2N-50	MS2N-100	MS2N-500	MS2N-1000	MS2N-5000
3,	.047,	15-20 lb.	MS3N-50	MS3N-100	MS3N-500	MS3N-1000	MS3N-5000
4,	.055,	30-40 lb.	MS4N-50	MS4N-100	MS4N-500	MS4N-1000	MS4N-5000
5,	.071,	40-60 lb.	MS5N-50	MS5N-100	MS5N-500	MS5N-1000	MS5N-5000
6,	.080,	60-90 lb.	MS6N-50	MS6N-100	MS6N-500	MS6N-1000	MS6N-5000
7,	.106,	90-140 lb.	MS7N-50	MS7N-100	MS7N-500	MS7N-1000	MS7N-5000
8,	.116,	140-250 lb.	MS8N-50	MS8N-100	MS8N-500	MS8N-1000	MS8N-5000



Malin Double Barrel Compression Sleeves

The Double Barrel sleeves are made in the U.S.A., and are of the highest quality. These sleeves are used for all types of rigs and work very well on the Malin-49, 7 X 7 cable and Mono. Offered in sizes that work for 80 lb test to 920 lb test material. They are packaged in quantities of 50, 100, 500, 1,000, and 5,000 pieces, and are available in Copper, Black Oxide or Zinc finish.

Black Oxide

ID	Range	50 Pack	100 Pack	500 pack	1,000 Pack	5,000 Pack
1/32	80-110 lb	M9DB-50	M9DB-100	M9DB-500	M9DB-1000	M9DB-5000
3/64	160-270 lb	M11DB-50	M11DB-100	M11DB-500	M11DB-1000	M11DB-5000
1/16	300 - 480 lb	M12DB-50	M12DB-100	M12DB-500	M12DB-1000	M12DB-5000
3/32	600 - 920 lb	M14DB-50	M14DB-100	M14DB-500	M14DB-1000	M14DB-5000

Zinc Plated

ID	Range	50 Pack	100 Pack	500 pack	1,000 Pack	5,000 Pack
1/32	80-110 lb	M9DZ-50	M9DZ-100	M9DZ-500	M9DZ-1000	M9DZ-5000
3/64	160-270 lb	M11DZ-50	M11DZ-100	M11DZ-500	M11DZ-1000	M11DZ-5000
1/16	300 - 480 lb	M12DZ-50	M12DZ-100	M12DZ-500	M12DZ-1000	M12DZ-5000
3/32	600 - 920 lb	M14DZ-50	M14DZ-100	M14DZ-500	M14DZ-1000	M14DZ-5000

Copper

ID	Range	50 Pack	100 Pack	500 pack	1,000 Pack	5,000 Pack
1/32	80-110 lb	M9DC-50	M9DC-100	M9DC-500	M9DC-1000	M9DC-5000
3/64	160-270 lb	M11DC-50	M11DC-100	M11DC-500	M11DC-1000	M11DC-5000
1/16	300 - 480 lb	M12DC-50	M12DC-100	M12DC-500	M12DC-1000	M12DC-5000
3/32	600 - 920 lb	M14DC-50	M14DC-100	M14DC-500	M14DC-1000	M14DC-5000



Extra Long Sleeves
Available in 1/16, and 3/32,
Copper Only: Specify **DX**

7 X 7, Malin - 49

Stainless Steel Cable

Malin - 49 is constructed using 49 individual strands of the highest quality stainless steel wire. It is designed to resist corrosion and abrasion, and is extremely strong and flexible. Malin - 49 is an excellent choice for making leaders, trolling planers, deep dropping, hook rigs, as well as, a variety of uses in marine applications.

Malin - 49 is available from 80 to 920 lb test, in both the Coffee or Natural SS finish. We package this material on our handy 30 foot pocket pack, or on spools of 150, 300, 500, 1,000, 2,000, and 5,000 feet.

Note: The 110 lb test is 3 X 7, and is constructed using 21 individual strands of stainless steel wire. The 21 strands offers very good flexibility and strength. It is a good choice for making leaders and wire line trolling for Wahoo.

We recommend that you use our Double Barrel sleeves in either the standard or the extra long lengths when making your connections.



Natural SS Finish

Cont.	Dia.	lb. Test	30 ft	150 ft	300 ft	500 ft	1,000 ft	2,000 ft	5,000 ft
3x7,	.031	110 lb.	C110-30	C110-150	C110-300	C110-500	C110-1000	C110-2000	C110-5000
7x7	.027	80 lb.	C80-30	C80-150	C80-300	C80-500	C80-1000	C80-2000	C80-5000
7x7	.034	160 lb.	C160-30	C160-150	C160-300	C160-500	C160-1000	C160-2000	C160-5000
7x7	.049	270 lb.	C270-30	C270-150	C270-300	C270-500	C270-1000	C270-2000	C270-5000
7x7	.062	480 lb.	C480-30	C480-150	C480-300	C480-500	C480-1000	C480-2000	C480-5000
7x7	.094	920 lb.	C920-30	C920-150	C920-300	C920-500	C920-1000	C920-2000	C920-5000

Coffee Finish

Cont.	Dia.	lb. Test	30 ft	150 ft	300 ft	500 ft	1,000 ft	2,000 ft	5,000 ft
3x7	.031	110 lb.	CC110-30	CC110-150	CC110-300	CC110-500	CC110-1000	CC110-2000	CC110-5000
7x7	.027	80 lb.	CC80-30	CC80-150	CC80-300	CC80-500	CC80-1000	CC80-2000	CC80-5000
7x7	.034	160 lb.	CC160-30	CC160-150	CC160-300	CC160-500	CC160-1000	CC160-2000	CC160-5000
7x7	.049	270 lb.	CC270-30	CC270-150	CC270-300	CC270-500	CC270-1000	CC270-2000	CC270-5000
7x7	.062	480 lb.	CC480-30	CC480-150	CC480-300	CC480-500	CC480-1000	CC480-2000	CC480-5000
7x7	.094	920 lb.	CC920-30	CC920-150	CC920-300	CC920-500	CC920-1000	CC920-2000	CC920-5000





Premium Pro Hook Sets

World's finest Hook Sets

Our Premium Pro Rigs are built by Capt. Ron Schatman, a Bahamas Billfish Champ and Wahoo Champ. Capt. Ron builds the world's Finest hook sets using Malin-49 cable, and Super Sharp, High Quality, proprietary Stainless Steel hooks. Premium Pro Rigs are offered in sizes ranging from 7/0 to 12/0, and 3 styles, Single, Double (Wahoo), and Double 180. **The Double (Wahoo) can be tuned - right or left, front or rear - up to 90 degrees.** They are all excellent for a wide variety of trolling lures, and the single stiff rigs work with mullet, squid, mackeral, and a variety of other dead baits and lures.

Specify hook type 7691 or 7732, 7691's are shown here. The 7732's have a slightly larger bite.

Hook Size	Single	Double	Double 180
7/0	SS 7/0		D180 7/0
8/0	SS 8/0		D180 8/0
9/0	SS 9/0	DS 9/0	D180 9/0
10/0	SS 10/0	DS 10/0	D180 10/0
11/0	SS 11/0	DS 11/0	D180 11/0
12/0	SS 12/0		D180 12/0



Premium Rigging Wire

Copper, Monel, and Soft Stainless Steel

Malin's Premium Rigging Wire is made using the highest quality copper, monel, or soft stainless steel wire available. Rigging wire is used for a wide variety of applications, and is conveniently packaged in our 200 foot Pocket Pack or the 800 foot Dispenser Can. This packaging allows you to cut off the exact length you need, and is by far the most economical rigging wire on the market.



Copper			
Dia.,	lb Test	200 feet	800 feet
.016,	15	CC15-200	CC15-800
.018,	20	CC20-200	CC20-800
.020,	30	CC30-200	CC30-800

Monel			
Dia.,	lb Test	200 feet	800 feet
.016,	15	MC15-200	MC15-800
.018,	20	MC20-200	MC20-800
.020,	30	MC30-200	MC30-800

Soft Stainless			
Dia.,	lb Test	200 feet	800 feet
.014,	15	SC15-200	SC15-800
.016,	20	SC20-200	SC20-800
.020,	30	SC30-200	SC30-800



Bait De-Hooker

Helps keep your bait alive

The Bait De-Hooker is designed to wear on your hand while bait fishing, you'll know right where it is when you need to de-hook your catch. This handy little device was designed by a professional bait catcher from South Florida and it works great. The Bait De-Hooker is made of stainless steel, and is designed to fit on either hand. It stays out of the way until you need it. For the freshest, liveliest bait, release them into your live well untouched.




MALIN MARINE OUTRIGGER RIGGING KITS



BASIC RIGGING KIT


- 1 Outside Halyard
- 2 Inside Halyard
- 3 Outside Shock Cord & Pulley
- 4 Inside Shock Cord & Pulley
- 5 SS Eye Straps
- 6 Crimp Sleeve
- 7 Snap

No Release Clips



COMPLETE RIG KIT

- 1 Outside Halyard
- 2 Inside Halyard
- 3 QDX Release Clip
- 4 Crimp Sleeve
- 5 Snap
- 6 Shock Cord & Pulley
- 7 SS Eye Strap



Our **BASIC RIGGING KIT** includes: 100 ft of halyard material, dacron in BLK or WHT, mono in BLK or CLR. SS eye straps & screws, shock cords & pulleys, crimp sleeves, snaps, and rigging instructions. This kit does not include release clips.

BLK Dacron WHT Dacron BLK Mono Clr Mono
OR118BK OR116HD OR115BK OR117HD

The **COMPLETE RIGGING KIT** includes everything in the Basic Kit, and a pair of our QDX1-O release clips. All of our kits are known worldwide for their quality and outstanding value.

BLK Dacron WHT Dacron BLK Mono Clr Mono
QX112BK QX113HD QX115BK QX114HD


The **COMPLETE MARINE RIGGING KIT** includes a pair of OP-81 outrigger pulleys in addition to the items listed in the Complete Rigging Kit. Specify item no. CMK-1, as shown here.

MALIN

www.malinco.com


MALIN MARINE

OUTRIGGER RIGGING KITS




OR815BK

The **TOP ANGLER RIGGING KIT** is designed for serious offshore small boaters. This kit includes 100 feet of 300lb test black mono, stainless steel hardware, shock cords, halyard locking pulleys, outrigger pulleys, crimp sleeves, snaps, and rigging instructions. This kit does not include release clips.



OR119BK

The **TOURNAMENT PRO RIGGING KIT** includes 100 ft of 300lb test black mono, 4 crimp sleeves, stainless steel hardware, shock cords and pulleys, 4 Sampo ball bearing swivels, and rigging instructions. This kit does not include release clips.



BB-1

The **BIG BOAT RIGGING KIT** is designed to double rig a single outrigger up to 45 feet long. The kit includes stainless steel hardware, halyard locking pulleys, double & single pulleys, 2ea, 100 foot coils of 300lb test black mono, shock cords & pulleys, and detailed rigging instructions. This kit does not include release clips.



T-TOP ROD SAFETY STRAPS



T-Top Rod Safety Straps were designed after an expensive rod & reel bounced in the water and was lost. Safety Straps keep your rods secured while en route to and from the fishing grounds. They are offered in Black or White and come four per package.

TTRH-4, WHITE

TTRHBK-4, BLACK

QDX Outrigger Release Clip

Featuring Remote Manual Release (RMR)



QDX1-0

The QDX Outrigger Release Clip is perfect for trolling live or dead bait and lure combinations. (RMR) Remote Manual Release technology - makes the QDX unique by allowing you to manually release the fishing line from the clip by pulling the halyard to the top, causing the release arm to open. **(See Photo below left)**

Example... say you're trolling live bait from your outrigger and you get a strike, allow time for the fish to get the bait in it's mouth prior to setting the hook. During this time - use the QDX's RMR to release the fishing line from the clip. This eliminates the slack line and ensures a proper hook set.

All other release clips require the weight of the fish to exceed the tension setting of the clip, before the fishing line is released. This means, at the precise moment you need tight line to set the hook - you have slack line created when the line is released from the clip. Many a fish have won their freedom during this brief moment.

The QDX's RMR completely eliminates the slack line.



Malin Marine Shock Cords & Pulleys

The Shock Cords and Pulleys are made 3/8" heavy duty elastic cord of 12 inches in lengths, and include either a single or double pulley configuration. They are of the highest quality, using stainless steel components and are available with Black or White cords.

SBR311 (SINGLE PULLEY - WHITE CORD)

SBR311BK (SINGLE PULLEY - BLACK CORD)

SBR322 (DOUBLE PULLEY - WHITE CORD)

SBR322BK (DOUBLE PULLEY - BLACK CORD)

Shock Cords & Snaps

The Shock cords & snaps are made of 3/8" heavy duty elastic cord and stainless steel hardware. They are available in Black or White cords in lengths of 8, 12, 16 and 20 inches, and are very handy for securing a wide variety of items.

SCS311-8 (8 INCH - WHITE CORD) SCS311-8BK (8 INCH - BLACK CORD)

SCS311-12 (12 INCH - WHITE CORD) SCS311-12BK (12 INCH - BLACK CORD)

SCS311-16 (16 INCH - WHITE CORD) SCS311-16BK (16 INCH - BLACK CORD)

SCS311-20 (20 INCH - WHITE CORD) SCS311-20BK (20 INCH - BLACK CORD)



Malin

www.malinco.com

Malin Marine Halyard Locking Pulley



UNLOCKED

LOCKED

BR311

The Halyard Locking Pulley stops annoying halyard creep and keeps your fishing line at the proper angle. Simply twist the Pulley body and lock the single ring snap swivel (As Shown LOCKED). To unlock, simply unlock the snap swivel, this frees the halyard so you can move to the desired location.

Outrigger Pulleys



OP81

OP81-2

Malin's Outrigger Pulleys have been used by Top Captains and Crews around the world for decades. These Pulleys have earned an excellent reputation for their high quality and dependability. Made of UV resistant, fiber filled ABS plastic and stainless components - you too can count on Malin Outrigger Pulleys to meet or exceed your expectations for reliable function and durability. They are available as a single or double pulley and simply snap onto the outrigger eyes.

Tournament Grade Pulley Kit



TGK81-BK

TGK81-WH

The Tournament Grade Pulley Kit contains a pair of Shock Cords, a pair of Halyard Locking Pulleys, a pair of Double Pulleys, and a Single Pulley. Designed to double rig a single outrigger for smooth operation.

Outrigger Halyard Material



BKMONO

CLRMONO

BKDAC

WHDAC

Malin Outrigger Halyard Material is offered in Mono or Dacron, in Black, White or Clear. Each coils contains 100 feet of either 1/8 inch Dacron or 300lb test Mono.

Stainless Steel Eye Straps and Screws



HW24 THUR BOLT

HW22 SELF TAP

Our Stainless Steel Eye Straps are made to last and for easy installation. Available in thur bolt or self tapping, two of the select style per pack.



MALIN'S
"Wilstabrite"
STAINLESS WIRE
- FOR -
TROLLING, LEADERS, ETC.
SPECIALLY PROCESSED FOR FISHERMEN'S USE
THE MALIN & CO.
INCORPORATED 1931
CLEVELAND, OHIO
U. S. A.

One Quarter Pound

"WILSTABRITE" STAINLESS WIRE

Number	Diameter	Estimated Breaking Stress	Estimated Length
4	.013	33 lbs.	554 ft.

BLUE FINISH

MADE IN U. S. A.

SINCE 1884

Malin Company, Inc.,
Phone: 800-967-9697

5400 Smith Road,
Fax: 216-267-9077

Brookpark, Ohio 44142
Email: sales@malinco.com