


SINCE 1884



MALIN

THE PROFESSIONAL FISHERMAN'S CHOICE

Malin has been involved in the fishing tackle industry since 1884. During that 122 years, we have earned the reputation for manufacturing the highest quality materials available. Professional Captains and tournament winners worldwide have depended on Malin products for decades, and they've done so with confidence. We are very proud to have earned and kept the confidence these professionals have shown in Malin products.

Malin is also an innovator, having introduced many original products over the years. Products like our pre-cut Straight Leader, BOA No-Kink titanium leader, Pre-Marked Soft Stainless, Monel, and Stainless Steel 1X7 trolling wire and cable, sabiki Bait De-Hooker, QDX outrigger release clip, T-Top Rod Holder Safety straps, and our outrigger Halyard Tensioning System, just to name a few. Look for this symbol  and you will know Malin was first to introduce these products.


We are especially excited about introducing our new products this year. Products like our new Smoke colored Monel and Soft Stainless trolling wire, available marked or un-marked, our new **R.E.D.** (Reduced Emissive Deflection) leader wire, and our new Weight Locks.

Table of Contents

- 1 - **HARD - WIRE**
SINGLE STRAND STAINLESS STEEL LEADER
- 2 - **STRAIGHT LEADER,** **NYLON COATED HARD - WIRE**
PERFECTLY DEAD STRAIGHT STAINLESS STEEL SINGLE STRAND STAINLESS STEEL LEADER
- 3 - **BOA NO - KINK,** **PREMIUM RIGGING WIRE**
WORLD'S FIRST TITANIUM SHOCK LEADER COPPER, MONEL, AND SOFT STAINLESS STEEL
- 4 - **PRE - MARKED TROLLING WIRE**
SOFT MONEL & SOFT STAINLESS, MARKED EVERY 50 FEET
- 5 - **SOFT MONEL,** **SOFT STAINLESS**
TROLLING WIRE TROLLING WIRE
- 6 - **PRE-MARKED MALIN - 7, 1 X 7,** **MALIN - 7, 1 X 7**
STAINLESS STEEL TROLLING CABLE STAINLESS STEEL CABLE
- 7 - **MALON - 7, 1 X 7**
NYLON COATED STAINLESS STEEL CABLE
- 8 - **SINGLE BARREL,** **DOUBLE BARREL**
COMPRESSION SLEEVES COMPRESSION SLEEVES
- 9 - **MALIN - 49, 7 X 7**
STAINLESS STEEL CABLE
- 10 - **PREMIUM PRO RIGS, BAIT DE-HOOKER, FISH HOOK EXTRACTOR, TOOLS**
WORLDS FINEST HOOK SETS HELPS KEEP YOUR BAIT ALIVE RELEASE THEM ALIVE AND UNTOUCHED
- 11 - **T-TOP ROD SAFETY STRAPS, MALIN MARINE**
ROD & REEL SEAT BELTS, FOR THE ROUGH RIDE OUTRIGGER RIGGING COMPONENTS - SHOCK CORD & SINGLE PULLEY, SHOCK CORD & DOUBLE PULLEY, SHOCK CORD & SNAPS, SS HARDWARE
- 12 - **MALIN MARINE**
OUTRIGGER RIGGING KITS
- 13 - **MALIN MARINE**
OUTRIGGER RIGGING COMPONENTS - QDX OUTRIGGER RELEASE CLIP, SINGLE PULLEY, DOUBLE PULLEY, AND HALYARD LOCKING PULLEY
- 14 - **MALIN MARINE**
OUTRIGGER RIGGING COMPONENTS - TOURNAMENT GRADE PULLEY KIT, HALYARD TENSIONING SYSTEM, HALYARD MATERIAL

HARD - WIRE

SINGLE STRAND STAINLESS STEEL LEADER



HARD - WIRE is solid, single strand, stainless steel leader, packaged in resealable bags for easy use and storage. Available in coils of 42 feet, 200 feet, and 1/4 lb, and 1 lb. Sizes range from #1 to #27, with breaking strengths of 25 lb test through 850 lb test.

Our Hard-Wire is ideal for rigging all types of baits or lures. When you need abrasion resistance and protection from sharp teeth, you need Hard-Wire. The wire is torsion straightened and treated so it is less visible beneath the water. Hard-Wire is also offered in a brite finish.

Through the years Hard-Wire has earned the reputation as the most consistent, highest quality leader.

COFFEE			BRITE			COFFEE			BRITE					
#	Dia.	lb test	42' Coil	42' Coil	#	Dia.	lb test	200' Coil	200' Coil	#	Dia.	lb test	200' Coil	200' Coil
1	.010	25	LC1-42	L1-42	2	.011	29	LC2-200	L2-200	3	.012	31	LC3-200	L3-200
2	.011	29	LC2-42	L2-42	4	.013	40	LC4-200	L4-200	5	.014	43	LC5-200	L5-200
3	.012	31	LC3-42	L3-42	6	.016	61	LC6-200	L6-200	7	.018	80	LC7-200	L7-200
4	.013	40	LC4-42	L4-42	8	.020	83	LC8-200	L8-200	9	.022	108	LC9-200	L9-200
5	.014	43	LC5-42	L5-42	10	.024	131	LC10-200	L10-200	11	.026	140	LC11-200	L11-200
6	.016	61	LC6-42	L6-42	12	.029	180	LC12-200	L12-200					
7	.018	80	LC7-42	L7-42										
8	.020	83	LC8-42	L8-42										
9	.022	108	LC9-42	L9-42										
10	.024	131	LC10-42	L10-42										
11	.026	140	LC11-42	L11-42										
12	.029	180	LC12-42	L12-42										
13	.031	188	LC13-42	L13-42										
14	.033	220	LC14-42	L14-42										
15	.035	278	LC15-42	L15-42										
16	.037	285	LC16-42	L16-42										
17	.039	300	LC17-42	L17-42										
18	.041	350	LC18-42	L18-42										
19	.043	400	LC19-42	L19-42										

Larger sizes are available upon request.

Our 42 foot coils offer 40% more wire than our competitors 30 foot coils at nearly the same cost.

COFFEE			BRITE			COFFEE			BRITE					
#	Dia.	lb test	1/4 lb Coil	1/4 lb Coil	#	Dia.	lb test	1 lb Coil	1 lb Coil	#	Dia.	lb test	1 lb Coil	1 lb Coil
1	.010	25	LC1-14	L1-14	1	.010	25	LC1-1	L1-1	1	.010	25	LC1-1	L1-1
2	.011	29	LC2-14	L2-14	2	.011	29	LC2-1	L2-1	2	.011	29	LC2-1	L2-1
3	.012	31	LC3-14	L3-14	3	.012	31	LC3-1	L3-1	3	.012	31	LC3-1	L3-1
4	.013	40	LC4-14	L4-14	4	.013	40	LC4-1	L4-1	4	.013	40	LC4-1	L4-1
5	.014	43	LC5-14	L5-14	5	.014	43	LC5-1	L5-1	5	.014	43	LC5-1	L5-1
6	.016	61	LC6-14	L6-14	6	.016	61	LC6-1	L6-1	6	.016	61	LC6-1	L6-1
7	.018	80	LC7-14	L7-14	7	.018	80	LC7-1	L7-1	7	.018	80	LC7-1	L7-1
8	.020	83	LC8-14	L8-14	8	.020	83	LC8-1	L8-1	8	.020	83	LC8-1	L8-1
9	.022	108	LC9-14	L9-14	9	.022	108	LC9-1	L9-1	9	.022	108	LC9-1	L9-1
10	.024	131	LC10-14	L10-14	10	.024	131	LC10-1	L10-1	10	.024	131	LC10-1	L10-1
11	.026	140	LC11-14	L11-14	11	.026	140	LC11-1	L11-1	11	.026	140	LC11-1	L11-1
12	.029	180	LC12-14	L12-14	12	.029	180	LC12-1	L12-1	12	.029	180	LC12-1	L12-1
13	.031	188	LC13-14	L13-14	13	.031	188	LC13-1	L13-1	13	.031	188	LC13-1	L13-1
14	.033	220	LC14-14	L14-14	14	.033	220	LC14-1	L14-1	14	.033	220	LC14-1	L14-1
15	.035	278	LC15-14	L15-14	15	.035	278	LC15-1	L15-1	15	.035	278	LC15-1	L15-1
16	.037	285	LC16-14	L16-14	16	.037	285	LC16-1	L16-1	16	.037	285	LC16-1	L16-1
17	.039	300	LC17-14	L17-14	17	.039	300	LC17-1	L17-1	17	.039	300	LC17-1	L17-1
18	.041	350	LC18-14	L18-14	18	.041	350	LC18-1	L18-1	18	.041	350	LC18-1	L18-1
19	.043	400	LC19-14	L19-14	19	.043	400	LC19-1	L19-1	19	.043	400	LC19-1	L19-1

No.	Dia.	FT
1	.010	3,723
2	.011	3,098
3	.012	2,604
4	.013	2,218
5	.014	1,913
6	.016	1,465
7	.018	1,157
8	.020	973
9	.022	775
10	.024	651
11	.026	551
12	.029	446
13	.031	387
14	.033	342
15	.035	283
16	.037	272
17	.039	245
18	.041	221
19	.043	202
20	.045	184
21	.047	169
22	.049	155
23	.051	143
24	.055	123
25	.059	107
26	.063	94
27	.071	74



VISIT OUR WEB SITE TO LEARN MORE ABOUT KNOTS, RIGGING AND TECHNIQUES.

Phone: 1-800-967-9697 Fax: 1-216-267-9077

STRAIGHT LEADER

PERFECTLY DEAD STRAIGHT STAINLESS STEEL



Our **STRAIGHT LEADER** is the absolute highest quality, straightest leader wire available for today's serious tournament anglers. Straight Leader is designed with the properties that make it perfect for live bait rigging and for use in conjunction with wind-on leaders. This wire is straightened using a special process that actually softens the wire very slightly, making it the most kink resistant SS leader wire available today.

Straight Leader is available in sizes #2 through #8, in breaking strengths of 29lb test through 93lb test. It comes packaged in rigid clear plastic tubes for easy use and storage. We precut the Straight Leader in lengths of 12, 24, and 36 inches, and each tube contains 300 feet of leader wire, regardless of the precut dimension. Straight Leader is available in the coffee color or the brite finish. Custom sizes and lengths are available upon request.

#,	Dia.,	lb. Test	12", 300 EACH		24", 150 EACH		36", 100 EACH	
			COFFEE	BRITE	COFFEE	BRITE	COFFEE	BRITE
2,	.011,	29 lb.	PDS2-12	BDS2-12	PDS2-24	BDS2-24	PDS2-36	BDS2-36
3,	.012,	31 lb.	PDS3-12	BDS3-12	PDS3-24	BDS3-24	PDS3-36	BDS3-36
4,	.013,	40 lb.	PDS4-12	BDS4-12	PDS4-24	BDS4-24	PDS4-36	BDS4-36
5,	.014,	43 lb.	PDS5-12	BDS5-12	PDS5-24	BDS5-24	PDS5-36	BDS5-36
6,	.016,	61 lb.	PDS6-12	BDS6-12	PDS6-24	BDS6-24	PDS6-36	BDS6-36
7,	.018,	80 lb.	PDS7-12	BDS7-12	PDS7-24	BDS7-24	PDS7-36	BDS7-36
8,	.020,	93 lb.	PDS8-12	BDS8-12	PDS8-24	BDS8-24	PDS8-36	BDS8-36

NYLON COATED HARD - WIRE

SINGLE STRAND STAINLESS STEEL LEADER



We added a black nylon coating to our Hard-wire at the request of the Tuna and Shark anglers. The nylon coating makes the wire easier to handle when wiring those big brutes at boatside, and the satin finish of the nylon coating makes it less likely to spook weary fish.

The **NYLON COATED HARD - WIRE** is available in sizes #10 through #19, in breaking strengths of 131 lb test to 400 lb test. We package this wire in resealable bags for easy use and storage, in coils of 42 feet, and 1/4 lb coils.

#,	Dia.,	lb Test	42' Coil	1/4lb Coil
10,	.024	131 lb.	BC10-42	BC10-14
11,	.026	140 lb.	BC11-42	BC11-14
12,	.029	180 lb.	BC12-42	BC12-14
13,	.031	188 lb.	BC13-42	BC13-14
14,	.033	220 lb.	BC14-42	BC14-14
15,	.035	278 lb.	BC15-42	BC15-14
16,	.037	285 lb.	BC16-42	BC16-14
17,	.039	300 lb.	BC17-42	BC17-14
18,	.041	350 lb.	BC18-42	BC18-14
19,	.043	400 lb.	BC19-42	BC19-14

FEET / LB CHART		
No.	Dia.	FT
10	.024	651
11	.026	551
12	.029	446
13	.031	387
14	.033	342
15	.035	283
16	.037	272
17	.039	245
18	.041	221
19	.043	202



VISIT OUR WEB SITE TO LEARN MORE ABOUT KNOTS, RIGGING AND TECHNIQUES.

Phone: 1-800-967-9697 Fax: 1-216-267-9077